



PLN2200 (-01)

22" LCD Monitor

The cost effective Planar® PLN2200 22" widescreen Full HD LED backlit LCD monitor features a borderless design, high display to body ratio, wide viewing angles, HDMI® and VGA inputs, and 100x100 VESA pattern. The Planar PLN2200 fits seamlessly into home and office environments.



| SPECIFICATION | DETAIL |
|------------------------|----------------------------------------------------------|
| Product Name | PLN2200 |
| Planar Part Number | 998-1329-01 |
| Viewable Size | 21.5" diagonal (18.74" horizontal x 10.54" vertical) |
| Aspect Ratio | 16:9 |
| Contrast Ratio (typ) | 1000:1 |
| Viewing Angle (typ) | 178° Horizontal and 178° Vertical (Specified at CR>10:1) |
| Response Time (typ) | 6 ms (GTG) |
| Brightness (Typical) | 250 cd/m ² |
| Display Type | Edge-Lit LED LCD |
| Display Resolution | 1920 x 1080, full HD |
| Tilt Range | -5° to +15° |
| Palette | 16.7 million colors |
| Pixel Pitch | 0.24795 |
| Refresh Rate | 48-75Hz (60Hz recommended) |
| Dimensions (W x H x D) | 19.28" x 15.07" x 8.27" (489.7 mm x 382.8 mm x 210 mm) |

| | |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dimensions without Stand | 19.28" x 11.55" x 1.54" (489.7 mm x 293.45 mm x 39.2 mm) |
| Panel Depth | 1.54" (39.2 mm) |
| Display Weight | 6.6 lb (3 kg), 6.1 lb (2.75 kg) without base & stand |
| Shipping weight | 8.8 lb (4.5 kg) |
| Video Inputs | HDMI®, VGA |
| HDCP | Yes |
| External Connections | D-sub 15-pin, 19-pin HDMI |
| Compatibility | PC and Mac® (adapter may be required for Mac) |
| Power Supply | Internal |
| Power Consumption (max) | 15W Typical, (0.5W standby) |
| Power Requirements | AC 110/240 VAC |
| Operating Temperature | 5° to +40°C (41° to 104°F) |
| Humidity | 10 - 90% RH (non-condensing) |
| Mount | Built-in 100 mm VESA, back |
| Product Approvals | FCC-B, UL/cUL, CE, Rohs |
| Recommended Usage | Up to 16 hours per day |
| Service and Support | 3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US. |
| Options / Features | Wide viewing angle, Discreet branding, Nearly Borderless bezel, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot |
| Blue Light Reduction | Yes |
| Flicker Free | Yes |
| In the Box | PLN2200 21.5" LED LCD Monitor, HDMI Cable, Power Cord, User's Guide |
| UPC | 8 10069 81030 0 |
| HDMI® | Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. |

For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 9/27/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved