



# Planar PXN2200

## 22" LCD Monitor

The Planar® PXN2200 is a 22" Full HD IPS LED LCD monitor that features a frameless bezel, thin profile, modern design, wide viewing angles, numerous inputs and integrated TrueMedia™ speakers. The Planar PXN2200 is ideal for home or office applications.



SPECIFICATION	DETAIL
Product Name	PXN2200
Planar Part Number	998-2120-00
Viewable Size	21.5" diagonal (18.77" horizontal x 10.56" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	5 ms (GTG)
Brightness (Typical)	250 cd/m <sup>2</sup>
Display Type	IPS LCD Active Matrix Flat Panel Display (TFT)
Display Resolution	1920 x 1080, full HD
Tilt Range	-3° to +20°
Palette	16.7 million colors
Pixel Pitch	0.24795 mm
Refresh Rate	55~76 Hz (60 Hz recommended)
Dimensions (W x H x D)	19.3" x 14.7" x 7.3" (488.5 mm x 371.4 mm x 184.9 mm)

D)	
<b>Dimensions without Stand</b>	19.3" x 11.6" x 1.54" (488.5 mm x 294.8 mm x 39.1 mm)
<b>Panel Depth</b>	1.54" (39.1 mm)
<b>Display Weight</b>	6.0 lb (2.7 kg); Weight without stand: 5.3 lb (2.4 kg)
<b>Shipping weight</b>	8.4 lb (3.8 kg)
<b>Video Inputs</b>	HDMI®, DisplayPort, VGA
<b>HDCP</b>	Yes
<b>Audio Output</b>	2W x 2, headphone out
<b>External Connections</b>	HDMI 19-pin, DisplayPort 20-pin, VGA 15-pin, 3.5 mm audio in, 3.5mm headphone out
<b>Compatibility</b>	PC and Mac® (adapter may be required for Mac)
<b>Power Supply</b>	Internal
<b>Power Consumption (max)</b>	22 Watt Typical (<0.5 Watt standby)
<b>Power Requirements</b>	AC 100/240 VAC
<b>Operating Temperature</b>	0° to +40°C (32° to 104°F)
<b>Humidity</b>	10 - 90% RH (non-condensing)
<b>Mount</b>	Built-in 100 mm VESA, back
<b>Product Approvals</b>	FCC-B, CE, UL/cUL, RoHS
<b>Recommended Usage</b>	Up to 16 hours per day
<b>Service and Support</b>	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.
<b>Options / Features</b>	IPS Wide color consistent viewing angle, Nearly Borderless bezel, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot
<b>Blue Light Reduction</b>	Yes
<b>Flicker Free</b>	Yes
<b>In the Box</b>	PXN2200 21.5" LED LCD Monitor, Power Cord, VGA Cable, HDMI Cable, Audio Cable, User's Guide

<b>UPC</b>	8 10689 00799 9
<b>HDMI®</b>	Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For more information, please visit [www.planar.com](http://www.planar.com)

*Specifications are subject to change without notice.*

*Specification Report Date: 9/27/2024*

*© Copyright 2024 Planar Systems, Inc. All rights reserved*